

Configure your
Attune NxT or
CytPix Flow
Cytometer

# Choose a Model

→ Models

Filters

Autosamplers





Lasers

Attune CytPix Flow Cytometer

Advanced Cell Analyzer with Brightfield Imaging





Attune NxT Flow Cytometer

Advanced Benchtop Cell Analyzer

Next / Lasers →



Configure your
Attune NxT or
CytPix Flow
Cytometer

# Choose a Model

→ Models

Filters

Autosamplers





Lasers

Attune CytPix Flow Cytometer

Advanced Cell Analyzer with Brightfield Imaging





Attune NxT Flow Cytometer

Advanced Benchtop Cell Analyzer

Next / Lasers →












Configure your <Attune NxT, CytPix Flow Cytometer>





A four laser system comprising blue, red, yellow, and violet lasers. Supports experiments up to 14 color detection and 16 total parameters including forward and side scatter. Simultaneously collects brightfield images.







#### Compare laser & detector configurations



		Number of detection of	ction channels for included lasers			6000 scandonia wa
Lasers	Laser configuration	Violet, 405nm	Blue, 488nm	Yellow, 561nm	Red 637nm	Total Detection Channels*
	Blue/yellow	Ť	3	4	<b>/</b> Τ	6
2	Blue/red	Ť	4	Ť	3	9
	Blue/violet	4/6	4/3	+	Ť	10/11
	Blue/green/yellow	Ť	3	(4)	3	12
3	Blue/violet/yellow	4	3	-4	Ť	13
	Blue/red/violet	4/6	4/3	17:	3	13/14
4	Blue/red/yellow/violet	4/6	3/2	4/3	3	16

<sup>\*</sup> Number of detection channels includes all fluorescence channels as well as forward scatter and a side scatter channel.

<sup>†</sup> Laser upgrade available.



Configure your <Attune NxT or CytPix Flow Cytometer>

#### **Choose an Optical Layout**

Models

Lasers

Filters

Autosamplers

A Lasers Blue/red/violet/yellow requires Filters.





Blue/red/violet/yellow

Catalog number: <A####> Up to <##> parameters







Blue/red/violet

Catalog number: <A####> Up to <##> parameters







Blue/violet/yellow


Catalog number: <A####> Up to <##> parameters

Next / Autosamplers →

### Blue/red/violet/yellow

Catalog number: A24860

A four laser system comprising blue, red, yellow, and violet lasers. Supports experiments up to 14 color detection and 16 total parameters including forward and side scatter. Simultaneously collects brightfield images.



#### **Choose an Optical Layout**

Models

Lasers

Filters

Autosamplers

Lasers Blue/red/violet/yellow requires Filters.







Catalog number: <A####> Up to <##> parameters







Blue/red/violet

Catalog number: <A####> Up to <##> parameters







Blue/violet/yellow

Catalog number: <A####> Up to <##> parameters

Next / Autosamplers →

Models

**Filters** 

## CytKick™ Max Autosampler

A42973

Add automation to your workflow. Compatible with tubes, 96- and 384-well plates. 22 min for 96-well plate (Boost mode, using one rinse and one mix and full analysis of a 20 µL sample).



Autosampler is optional.





Lasers

CytKick™ Max Autosampler Catalog number: A42973

Autosamplers





CytKick™ Autosampler Catalog number: A42901

Next / Related Products →

# CytKick™ Max Autosampler

A42973

Add automation to your workflow. Compatible with tubes, 96- and 384-well plates. 22 min for 96-well plate (Boost mode, using one rinse and one mix and full analysis of a 20 µL sample).



#### Choose a Autosampler

Models

Lasers

**Filters** 

Autosamplers



Autosampler is optional.





CytKick™ Max Autosampler Catalog number: A42973





CytKick™ Autosampler Catalog number: A42901

Next / Related Products →

# Automation for Flow Cytometer





#### **Robotic Automation**

Extend your unmanned runtime settings and scalability with robotic integration applications for the Attune Flow Cytometers.

View 7





#### Attune External Fluid Supply

This 10L External Fluid Supply extends the period of continual operation. The EFS fits under the bench or on an adjacent cart connected to the Attune flow...

View 7

#### Automation



#### Maintenance



#### Consumables



#### Filter kits



#### Choose additional items

Next / Software & services →



Components

Related products

Software & services

Summan





#### Choose additional items













### Robotic Automation

Extend your unmanned runtime settings and scalability with robotic integration applications for the Attune Flow Cytometers.

Filter kits



Next / Software & services →

### Automation for Flow Cytometer





#### Robotic Automation

Extend your unmanned runtime settings and scalability with robotic integration applications for the Attune Flow Cytometers.

View 7





#### Attune External Fluid Supply

This 10L External Fluid Supply extends the period of continual operation. The EFS fits under the bench or on an adjacent cart connected to the Attune flow...

View 7

# Automation



#### Choose additional items





Robotic Automation



Attune NXT Auto Bundle, hotel \* Catalog number: A33007

Qty: 1

#### Maintenance



#### Consumables



#### Filter kits



Next / Software & services →

# Comsumables for Flow Cytometer





#### Control Beads

The Attune Performance Tracking Beads are designed for use with Attune Cytometric Software and Attune NxT Software to automatically characterize...

View 7





#### UltraComp eBeads™ Plus Compensation Beads

UltraComp eBeads Plus Compensation Beads as single color controls with Fluorochrome-conjugated antibody binds the spherical particles. These...

View 7





#### Focusing Fluid

Attune Focusing Fluid is an optimized buffer solution that is used in the Attune Acoustic Focusing Cytometer for focusing and transportation of particles...

View 7





#### Wash Solution

Attune Wash Solution is an optimized cleaning buffer that is used in the Attune Acoustic Focusing Cytometer to maintain cleanliness of the fluidics lines...

View 7





#### **Shutdown Solution**


Attune Shutdown Solution is a cleaning buffer that is used in the automated shutdown procedure for the Attune Acoustic Focusing Cytometer.

View 7



#### **Cell Cleaning Solution**

The quality of your flow cytometry data can be affected by the cleanliness of the flow cell. Attune Flow Cell Cleaning Colution is an alkaline liquid



### Choose additional items





Attune Performance **Tracking Beads** Catalog number: 4449754 3 mL



UltraComp eBeads Plus Compensation Beads Catalog number: 4449754


100 tests





Attune Focusing Fluid (1X) Catalog number: A33008

Select a pack size



250 mL



Qty 1


Added

Qty 1

Qty 1



Next / Software & services →



Service availability varies by location.

#### Choose Software & Services






#### Attune Software

- Workstation
  - Enterprise
- 5 Licenses Catalog number: A24856







5 Licenses Catalog number: <A####>





#### **FCS Express Software**

Optional





#### Services Optional

- Extended warranty with preventative maintenance
  - **Extended warranty**





#### IQ/OQ Service

Optional


Next / Summary →

X Attune Flow Cytometer Configurator Components Related products Software & services Summary



#### Attune Instrument Overview

Attune Flow Cytometers are compact, benchtop cell analyzers that can be configured with up to four spatially separated lasers to flexibly design, run, and analyze panels of up to 14 colors. Unique, powerful acoustic technology avoids clogging and



Donec vestibulum rutrum quam, a lacinia enim scelerisque ac. Phasellus eu malesuada odio, eu faucibus nist. Curabitur non tincidunt magna. Suspendisse ac dolor sit amet

7 0 X

neque mattis congue. Morbi sit amet fortor eros. Product name ##

> Catalog number: <#####> Quantity: <F>

You Attune System is ready.



← Back to Summary



# Thank you. You have configured an Attune System.

Jonate  Boyd  Boyd  Imal*  Jonate Log/d0mycompany.com  Thorae*  314-223-6868  Company Festilation*  My Company  Debrate Opportment / Lab  Effect Opportment / Lab  Control (Floor)
Boyd  Small*  Small*
Immal*  joreile boyd@mycompany.com  Thoria*  314-223-4888  Dempany / Institution*  My Company  Department / Lab  Enter department / lab  building / Room / Poor  Enter building / room / foor
powie boydomycompany.com  mone*  314-223-4888  Company / Institution*  My Company  Department / Lab  Error department / lab  uidding / Noon / Poor  Error bulding / room / foor  Country / Region*
hoose* 314-223-4888 Dempany Frashulion* My Company Department / Lab Enter department / lab building / Room / Poor Enter building / room / foor
314-223-4888  Company / Institution*  My Company  Operational / Lab  Enter department / Lab  Enter department / lab  building / Room / Poor  Enter building / room / foor
Company / Institution*  My Company  Department / Lab  Enter department / lab  building / Room / Poor  Enter building / room / floor  Country / Region*
My Company Operatinent / Lab Enter department / lab building / Room / Poor Enter building / room / foor Country / Region*
Department / Lab  Enter department / lab  building / Room / Floor  Enter building / room / Boor  Country / Region*
Enter department / lab building / Room / Floor Enter building / room / floor Country / Region*
duilding / Room / Floor  Enter building / room / floor  Country / Region*
Enter building / room / floor Country / Region*
Country / Region *
United States
State / Province / Region
Missouri
Street Address
Enter street address
City*
Saint Louis
DIP / Postal Code *
63033
would like Thermo Fisher Scientific (including its affiliates) to ad ne to a list to receive Information about events, products, evenices and promotions which Thermo Fisher believes may be on therest to me via the following channels:
✓ Email ✓ Phone
can withdraw my consent and unsubscribe at any time by e-mailing ephylithermotisher.com. acknowledge Thermo Fisher Scientific lincluding its affiliates) will process.





Your quote request has been received.

